

MACH X™ X1

PSE 2007 Mach X™, a total revolution in bow technology: long, straight riser design and compact past parallel limb design takes industry trends to the extreme.

The Mach X™ is a remarkably compact hunting bow with the aiming and shooting characteristics of a target bow. Large wheels, vertical limb movement and vibration dampening devices combine with cutting-edge technology to make the Mach X™ the best feeling bow on the market. The nine inch split limbs are controlled by independently adjustable pivoting limb pockets that allow the adjustment of cam attitude. This unique new feature adds a whole new dimension to bow tuning. The Mach X™ limb is well beyond parallel at full draw for totally vertical limb travel.

FEATURES


X-CAM SYSTEM

The X Cam features an oversized design that is easy to draw. On the shot it is incredibly fast and offers both optimized performance curves and perfect nock travel at every draw length. Let-off is infinitely adjustable from 65% to 80%.



MACH X™ POCKETS

Independently adjustable pivoting limb pockets take precision limb tuning to a new level. Also features side locking tabs for extra security.



The Mach X™ features an unprecedented eleven separate vibration dampeners to reduce vibration and to make it one of the quietest compound bows ever produced.

9" LIMBS

Industry leading 9" Hypersplit™ limbs are engineered along with new CNC abrasive machining technologies allowing the limbs to be independently optimized for each draw weight.



THE B.E.S.T. GRIP

The B.E.S.T.* Grip System is contoured to fit the hand better.

*Biomechanically Ergonomic Slim Throat



SPECIFICATIONS

Brace Height:	7-1/4"
Axle-to-Axle:	33"
IBO Speed:	312-304 fps
Let-Off:	80% - 65% Infinitely Adjustable
Mass Weight:	4.25 lbs.
Draw Lengths:	27"-31" Range
Shipped in:	28", 29", or 30"
Draw Weights:	60 and 70 pounds
Finish:	New Break-Up®
Part #:	0633X1

draw lengths / draw weights

	27"	28"	29"	30"	31"
60#	•	•	•	•	•
70#	•	•	•	•	•

ORDERING INFO

MACH X™

0633X1(R,L)BU(28,29,30)(60,70)

(BU) MOSSY OAK® NEW BREAK-UP®

DRAW LENGTH " PEAK WEIGHT #
27-31 60 70

DRAW LENGTH OPTIONS

Shipped in 28", 29", 30" draw lengths
27" and 31" achievable with modules

X1 CAM MODULE

DRAW LENGTH "	PART #	MODULE/STOP
27	01087(R,L)	7 AND 7 STOP
28	01088(R,L)	8 AND 8 STOP
29	01089(R,L)	9 AND 9 STOP
30	01090(R,L)	10 AND 10 STOP
31	01091(R,L)	11 AND 11 STOP

MACH X™



OCTANE™ NP



OCTANE™



The all-new Octane™ has all the speed and performance that its name implies. Highlighted by the ultra smooth and efficient NRG Plus™ Cam System, the Octane™ features Hyperlite™ Unibody limb pockets, a 27 inch riser, a comfortable Vibracheck™ Rubber Grip and an aggressive style that screams speed and performance. With PSE's advanced engineering, nock-travel is optimized for superior accuracy and outstanding arrow flight.

The New Octane™ gives bowhunters all the high tech features they demand in a very affordable package.

FEATURES



NRG PLUS™ CAM

A new cam for 2007, the NRG Plus™ one-cam features 1/2" to 1/4" post adjustment and 1" adjustments with modules.



NEW HYPERLITE™ UNIBODY POCKET

The new unibody pocket system offers silent operation and precise limb alignment for an improved level of reliability and shooting accuracy.



CAM-LOCK™ CABLEGUARD

The Patented Cam-Lock Cable Guard Mount is a fully adjustable feature that enables the archer to fine-tune the angle and orientation of the cable guard with easy and quick adjustments.



VIBRACHECK™ RUBBER GRIP

Features our new Vibracheck™ soft rubber grip for great comfort and feel.

SPECIFICATIONS

Brace Height:	7-3/8"
Axle-to-Axle:	34"
IBO Speed:	304-296 fps
Let-Off:	80% or 65%
Mass Weight:	4.5 lbs.
Draw Lengths:	25"-30" Range
Shipped in:	29"
Draw Weights:	60 and 70 lbs.
Finish:	New Break-Up®
Part #:	0735NP

	draw lengths / draw weights					
	25"	26"	27"	28"	29"	30"
60#	•	•	•	•	•	•
70#	•	•	•	•	•	•

ORDERING INFO

OCTANE™

0735NP(R,L)BU29(60,70)
(BU) MOSSY OAK® NEW BREAK-UP®

DRAW LENGTH "	PEAK WEIGHT #
25-30	60 70

DRAW LENGTH OPTIONS

NRG PLUS MODULE

DRAW LENGTH "	PART #	MODULE/STOP
25	01010A5	5 AND 5 STOP
26	01010A6	6 AND 6 STOP
27	01010A7	7 AND 7 STOP
28	01010A8	8 AND 8 STOP
29	01010A9	9 AND 9 STOP
30	01010A10	10 AND 10 STOP

BIG FIVE™ PRO



BIG FIVE™



BIG FIVE™


The Big Five™ Pro and Big Five™ are the most powerful, high kinetic energy big game hunting bows ever produced. A time-tested piece of equipment for the serious bowhunter, the Big Five™ bows aren't your ordinary bow... but some hunters won't settle for anything but the extraordinary and the absolute best.

INCLUDED ACCESSORIES

CHOOSE YOUR TOP GUN™ SIGHT FOR YOUR BIG FIVE™ PACKAGE:



INCLUDED FACTORY ACCESSORIES:



SHIPS IN AN SKB™ 22015 HARDSHELL DOUBLE BOWCASE

SPECIFICATIONS

BIG 5™ PRO
 Brace Height: 7-7/8"
 Axle-to-Axle: 39-5/8"
 IBO Speed: 297-289 fps
 Let-Off: 65% Eff. 70% Act.
 Mass Weight: 4.6 lbs.
 Draw Lengths: 27"-32" Range
 Draw Weights: 80, 90 and 100 lbs.
 Finish: New Break-Up®
 Part #: 0413S8

	draw lengths / draw weights					
	27"	28"	29"	30"	31"	32"
80#	•	•	•	•	•	•
90#	•	•	•	•	•	•
100#	•	•	•	•	•	•

BIG 5™
 Brace Height: 6-1/8"
 Axle-to-Axle: 40-1/2"
 IBO Speed: 308-300 fps
 Let-Off: 65% Eff. 70% Act.
 Mass Weight: 4.7 lbs.
 Draw Lengths: 25"-30" Range
 Draw Weights: 80, 90 and 100 lbs.
 Finish: New Break-Up®
 Part #: 0411S8

	draw lengths / draw weights					
	25"	26"	27"	28"	29"	30"
80#	•	•	•	•	•	•
90#	•	•	•	•	•	•
100#	•	•	•	•	•	•

ORDERING INFO

BIG FIVE PRO™ 0413S8

BOW ONLY
 COMPLETE PACKAGE
 (BU) MOSSY OAK® NEW BREAK-UP®
 DRAW LENGTH OPTIONS PEAK WEIGHT #
 27-32 80 90 100

BIG FIVE™ 0411S8

BOW ONLY
 COMPLETE PACKAGE
 (BU) MOSSY OAK® NEW BREAK-UP®
 DRAW LENGTH OPTIONS PEAK WEIGHT #
 25-30 80 90 100

Contact your Regional Sales Manager or PSE Customer service to place your BIG 5 order.



BRUTE™



BRUTE™ NP

The new Brute™ NP is a compact hunting bow that is incredibly smooth and easy to shoot. With a very forgiving 8 inch brace height, parallel limb design and a 32 inch axle-to-axle length, the new Brute™ has all the features bowhunters are looking for. Fast, forgiving and virtually vibration free, the Brute™ NP incorporates all the advantages of high-end bows in an incredibly affordable package.

FEATURES



NRG PLUS™ CAM

A new cam for 2007, the NRG Plus™ features 1/2" and 1/4" post adjustment and 1" adjustments with modules.



NEW HYPERLITE™ UNIBODY POCKET

The new unibody pocket system offers silent operation and precise limb alignment for an improved level of reliability and shooting accuracy.



CAM-LOCK™ CABLE GUARD

The Patented Cam-Lock™ Cable Guard Mount is a fully adjustable feature that enables the archer to fine-tune the angle and orientation of the cable guard with easy and quick adjustments.



VIBRACHECK™ RUBBER GRIP

Features our new Vibracheck™ soft rubber grip for great comfort and feel.

SPECIFICATIONS

Brace Height:	8"
Axle-to-Axle:	32"
IBO Speed:	304-296 fps
Let-Off:	80% or 65%
Mass Weight:	4.2 lbs.
Draw Lengths:	25"-30" Range
Shipped in:	29"
Draw Weights:	60 and 70 pounds
Finish:	New Break-Up®
Part #:	0707NP

	draw lengths / draw weights					
	25"	26"	27"	28"	29"	30"
60#	•	•	•	•	•	•
70#	•	•	•	•	•	•

ORDERING INFO

BRUTE™

0707NP(R,L)BU29(60,70)
(BU) MOSSY OAK® NEW BREAK-UP®

DRAW LENGTH "	PEAK WEIGHT #
25-30"	60 70

DRAW LENGTH OPTIONS

NRG PLUS MODULE

DRAW LENGTH "	PART #	MODULE/STOP
25	01010A5	5 AND 5 STOP
26	01010A6	6 AND 6 STOP
27	01010A7	7 AND 7 STOP
28	01010A8	8 AND 8 STOP
29	01010A9	9 AND 9 STOP
30	01010A10	10 AND 10 STOP

FIRESTORM LITE™ NH

This short 30" axle-to-axle compound bow offers great stability, a forgiving 8-3/4" brace height, a lightweight machined riser and an ultra smooth hybrid cam system.

The modular hybrid cam system allows you to change the draw length easily over a five-inch range with additional string posts allowing for fine tuning the draw length an additional 3/8 inch up or down within the standard one inch increment settings. Finally, by flipping the small draw-stop/let-off module, you can change let-off from 65% to 80% in only a few seconds. With an IBO rating of 300 and at only 3.3 lbs., the Firestorm Lite™ is a great bow to use in a treestand or from a ground blind.



FIRESTORM LITE™



FEATURES



NRG HYBRID™ CAMS
The NRG Hybrid™ cam is highly adjustable and one of the most lethal cams PSE has ever produced. It has straight and level nock travel and is adjustable for 65% or 80% effective let-off. Stop position and stop alignment marks in five discreet module sizes with multi-post string length settings provide additional + or - 3/8" of draw length adjustments.



TRM™ PLASTIC GRIP
Features our TRM™ plastic grip for great comfort and feel.



CAM-LOCK™ CABLEGUARD
The Patented Cam-Lock™ Cable Guard Mount is a fully adjustable feature that enables the archer to fine-tune the angle and orientation of the cable guard with easy and quick adjustments.



VIBRACHECK™ STRING CHUBS™
String Chubs™ add additional vibration dampening to the string.

SPECIFICATIONS

Brace Height:	8-3/4"
Axle-to-Axle:	30"
IBO Speed:	300-292 fps
Let-Off:	80% or 65%
Mass Weight:	3.3 lbs.
Draw Lengths:	26"-30" Range
Shipped in:	29"
Draw Weights:	60 and 70 pounds
Finish:	New Break-Up®
Part #:	0709NH

	draw lengths / draw weights				
	26"	27"	28"	29"	30"
60#	●	●	●	●	●
70#	●	●	●	●	●

ORDERING INFO

FIRESTORM LITE™

0709NH(R,L)BU29(60,70)
(BU) MOSSY OAK® NEW BREAK-UP®

DRAW LENGTH "	PEAK WEIGHT #
26-30	60 70

DRAW LENGTH OPTIONS

NRG HYBRID MODULE

DRAW LENGTH "	PART #	MODULE/STOP
26	01046	6 AND 6 STOP
27	01047	7 AND 7 STOP
28	01048	8 AND 8 STOP
29	01049	9 AND 9 STOP
30	01050	10 AND NO STOP



NOVA™



NOVA™ SU

The Nova™ Synergy™ Universal cam is the perfect bow for finger or release shooters. The Synergy™ Universal cam is the most adjustable two cam ever produced. The Nova™ SU achieves 26" to 31" draw length at 40 lbs. to 60 lbs. or 50 lbs. to 70 lbs. All this is possible using the modules that are shipped with the bow and all without the use of a bow press. This one bow will fit nearly every archer in your household.

FEATURES



SYNERGY™ UNIVERSAL CAM
The Synergy™ Universal cam is the most adjustable two-cam ever produced. Three pairs of modules can be flipped between two draw length settings for multiple lengths.



Mossy Oak®
New Break-Up®



Competition Blue

AVAILABLE IN CAMO OR COMPETITION BLUE



CAM-LOCK™ CABLE GUARD

The Patented Cam-Lock™ Cable Guard Mount is a fully adjustable feature that enables the archer to fine-tune the angle and orientation of the cable guard with easy and quick adjustments.



VIBRACHECK™ RUBBER GRIP

Features our new Vibracek™ soft rubber grip for great comfort and feel.

SPECIFICATIONS

Brace Height:	7-3/4"
Axle-to-Axle:	35-1/2"
IBO Speed:	298-290 fps
Let-Off:	75% Effective 65% Actual
Mass Weight:	3.8 lbs.
Draw Lengths:	26"-31" Range
Shipped in:	29"
Draw Weights:	Camo 60 and 70 lbs. Competition 60 lbs.
Finish:	New Break-Up® Blue
Part #:	0739SU

draw lengths / draw weights

The Nova™ SU achieves 26" to 31" draw length at 40# to 60# or 50# to 70#.

ORDERING INFO

NOVA™

0739SU(R,L)BU29(60,70)
(BU) MOSSY OAK® NEW BREAK-UP®

0739SU(R,L)BL2960
(BL)COMPETITION BLUE

DRAW LENGTH "	PEAK WEIGHT #
26-31	60 70



NOVA™ OC



NOVA™ OC PKG

Now even value minded customers can have the smooth draw and performance of a one cam bow in our popular Nova™ design. In addition to outstanding performance, the Nova™ OC comes in a complete package ready to set-up and take to the woods. Featuring a Top Gun™ Glo™ sight, Top Gun™ Mustang™ rest, Top Gun™ Mongoose™ quiver, Cam-Lock™ cable guard and an injection molded grip, this is a quality hunting bow package that is easy for anyone to afford.

FEATURES



ONE CAM

An easy to draw and easy to shoot design specifically geared for the Nova™ OC.

INCLUDED ACCESSORIES



TOP GUN™ GLO™ SIGHT



TOP GUN™ MUSTANG™ REST



TOP GUN™ MONGOOSE™ QUIVER



INJECTION MOLDED GRIP

Comfortable and ergonomic

SPECIFICATIONS

Part #: 07410C

draw lengths / draw weights				
	26"	27"	28"	29"
50#	•	•		
60#		•	•	•
70#			•	•

ORDERING INFO

NOVA OC™

07410C(R,L)UB(DRAW LENGTH)(60,70)
(UB) UNIVERSAL CAMO

DRAW LENGTH "	PEAK WEIGHT #
27-31	60 70

*WHILE SUPPLIES LAST



value series

2007 DEALER PRODUCT GUIDE

DEER HUNTER™ S3

The Deer Hunter™ is one of the longest running bows in the PSE line. Why? Because it's simply impossible to beat the quality, features and value. It's equipped with smooth shooting Stage 3™ wheels, universal camo and a comfortable and ergonomic molded grip. Best of all, the Deer Hunter™ comes from the factory with all the accessories to get archers off the ground right. It's one of the best values in archery and a smart choice for anybody looking for a complete set-up right out of the box.

FEATURES



STAGE 3™ CAM
A smooth drawing and shooting cam with 1/2" of draw length adjustment over a 2" range.



INCLUDED ACCESSORIES

TOP GUN™ GLO™ SIGHT



TOP GUN™ MUSTANG™ REST



TOP GUN™ MONGOOSE™ QUIVER



VIBRACHECK™ RUBBER GRIP

Features our new Vibracheck™ soft rubber grip for great comfort and feel.

SPECIFICATIONS

Brace Height: 7-3/4"
Axle-to-Axle: 38"
IBO Speed: 265-257 fps @ 29"
Let-Off: 65%
Mass Weight: 3.6 lbs.
Draw Lengths: 24", 27", 29"
Shipped in: 24/40, 27/55, and 29/65
Draw Weights: 40, 55, and 65 lbs.
Finish: Break-Up®
Part #: 0401S3

	draw lengths / draw weights		
	24"	27"	29"
40#	●		
55#		●	
65#			●

ORDERING INFO

DEER HUNTER™

0401S3(R,L)UB(2440,2755,2965)
(UB) UNIVERSAL CAMO

DRAW LENGTH"	PEAK WEIGHT #
24	40
27	55
29	65

DEER HUNTER™





value series

2007 DEALER PRODUCT GUIDE

SILVERHAWK™



SILVERHAWK™

The Silverhawk™ is the most affordable bow in the PSE line, but still comes packed with the quality and features you expect from a PSE. Super easy to set-up and shoot, the Silverhawk™ package includes a sight, bow quiver, brass nock set and rest.



FEATURES



STAGE 3™ CAM
A smooth drawing and shooting cam with 1/2" of draw length adjustment over a 2" range.

INCLUDED ACCESSORIES



TOP GUN™ GLO™ SIGHT



TOP GUN™ POSSE™ ARROW REST



TOP GUN™ MONGOOSE™ QUIVER

SPECIFICATIONS

Brace Height:	7-1/2"
Axle-to-Axle:	42"
IBO Speed:	236 fps @ 28"
Let-Off:	65%
Mass Weight:	4.0 lbs.
Draw Lengths:	27"-29" Range
Shipped in:	28"
Draw Weights:	55 lbs.
Finish:	Camo
Bow Only Part #:	10030AM
Package Part #:	10030AMKIT

draw lengths / draw weights	
	28"
55#	●

ORDERING INFO

SILVERHAWK™

10030AM
BOW ONLY

10030AMKIT
BOW PACKAGE WITH ACCESSORIES

DRAW LENGTH "	PEAK WEIGHT #
27-29"	55